


# JEE-O slimline wall shower





Use only in combination with JEE-O slimline shower head small

801-6900

Brushed

801-6903 Stuctured black

801-6904

PVD coated bronze

801-6905

PVD coated matt gold

801-6909

PVD coated dark steel

Stainless Steel r304

Article code:

Cleaning instructions:

download JEE-O shower and taps manual on our website: www.jee-o.com

Pressure: Recommended working pressure 3Bar Connection: Thread:

G ½" (ø15mm / 0.6") British Standard Pipe (BSP)

L 52 x W 15,5 x H 6 cm 0.7 kg 0.16 kg Dimension package:


Total weight: Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

84818011900 HS code:



# JEE-O slimline shower head small





Dimension package:

Total weight: Package weight:

Connection:

Thread:



7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads



G ½" (ø15mm / 0.6")

Available soon Available soon Available soon

British Standard Pipe (BSP)



Article code:

800-6120 Brushed 800-6123

Stuctured black

800-6124

PVD coated bronze

800-6125

PVD coated matt gold

800-6129

PVD coated dark steel

Stainless Steel r304 download JEE-O shower and taps manual

on our website: www.jee-o.com 91 p. brushed version: grey colored versions: black

Flow at water of 38°C: 12I p/m at 3Bar pressure

Pressure:

Material:

Nozzles:

Cleaning instructions:


HS code:

84818011900

Recommended working pressure 3BarJEE-O slimline shower head small specifications | September 2023



## JEE-O slimline wall hand shower











G ½" (ø15mm / 0.6")

L 26 x W 14 x H 8 cm 1.1 kg 0.1 kg

British Standard Pipe (BSP)





Article code:

800-6910 Brushed 800-6913

Stuctured black

800-6914

PVD coated bronze

800-6915

PVD coated matt gold

800-6919

PVD coated dark steel

Cleaning instructions:

Pressure:

Stainless Steel r304

download JEE-O shower and taps manual on our website: www.jee-o.com

Recommended working pressure 3Bar

Connection:

Thread:

Dimension package:

Total weight: Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads


HS code:

Approvals:

84818011900



### **JEE-O slimline thermostat**



Article code:

Material:

Cartridge:

Cleaning instructions:

800-2500 Brushed 800-2503

Stuctured black 800-2504 PVD coated bronze

800-2505

PVD coated matt gold

800-2509

PVD coated dark steel Stainless Steel r304

download JEE-O shower and taps manual on our website: www.jee-o.com

Vernet mixing mechanism (thermostatic), item code 005-0501

Flow at water of 38°C. 12L p/m at 3Bar pressure

Recommended working pressure 3Bar Pressure:

Connection: 3 x G ½" (ø15mm / 0.6")


L 26 x W 18 x H 18 cm 2.17 kg 0.564 kg Dimension package: Total weight:

Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

JEE-O slimline thermostat specifications | September 2023

# JEE-0 JEE-O slimline valve



Article code:

800-2700 Brushed 800-2703

Stuctured black

800-2704

PVD coated bronze

800-2705

PVD coated matt gold

800-2709

PVD coated dark steel Stainless Steel r304

10L p/m at 3bar pressure

Fluhs ceramic valve, item code 005-0602

Cleaning instructions:

download JEE-O shower and taps manual on our website: www.jee-o.com

Cartridge: Flow at water of 38°C.

Recommended working pressure 3Bar Pressure:

Connection:

2 x G ½" (ø15mm / 0.6")

Dimension package: Total weight: Package weight:

L 26 x W 18 x H 18 cm 1.7 kg 0.448 kg

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

JEE-O slimline valve specifications | September 2023