


# JEE-O slimline wall shower





Use only in combination with JEE-O slimline shower head small

801-6900

Brushed

801-6903 Stuctured black

801-6904

PVD coated bronze

801-6905

PVD coated matt gold

801-6909

PVD coated dark steel

Stainless Steel r304

Article code:

download JEE-O shower and taps manual Cleaning instructions: on our website: www.jee-o.com

Pressure: Recommended working pressure 3Bar Connection: Thread:

G ½" (ø15mm / 0.6") British Standard Pipe (BSP)

Dimension package: Total weight: Package weight:


L 52 x W 15,5 x H 6 cm 0.7 kg 0.16 kg

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

84818011900 HS code:



# JEE-O slimline shower head small





Article code:

800-6120 Brushed 800-6123

Stuctured black 800-6124

PVD coated bronze

800-6125 PVD coated matt gold

800-6129

PVD coated dark steel

Stainless Steel r304 Material:

download JEE-O shower and taps manual Cleaning instructions: on our website: www.jee-o.com

Nozzles: 91 p. brushed version: grey colored versions: black Flow at water of 38°C: 12I p/m at 3Bar pressure Recommended working pressure 3BarJEE-O slimline shower head small specifications | September 2023

Pressure:

HS code:

Connection:

Dimension package:

Total weight: Package weight:

Thread:

84818011900

G ½" (ø15mm / 0.6")

Available soon Available soon Available soon


British Standard Pipe (BSP)


7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

Models are subject to change and specs may contain typographical errors



## JEE-O slimline wall shower bar

















Article code:

800-6920 Brushed 800-6923

Stuctured black 800-6924

PVD coated bronze

800-6925 PVD coated matt gold

800-6929

PVD coated dark steel Stainless Steel r304

download JEE-O shower and taps manual Cleaning instructions:

on our website: www.jee-o.com Pressure: Recommended working pressure 3Bar Connection: Thread:

 $2 \times G \frac{1}{2}$ " (ø15mm / 0.6") British Standard Pipe (BSP)

L 78 x W 19 x H 7 cm 2.2 kg 0.35 kg Dimension package:

Total weight: Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads


84818011900 HS code:

Approvals:



JEE-O slimline wall shower bar specifications | September 2023

### JEE-O slimline thermostat



Article code:

Cartridge:

800-2500 Brushed 800-2503

Stuctured black 800-2504

PVD coated bronze

800-2505

PVD coated matt gold

800-2509

PVD coated dark steel

Material: Stainless Steel r304 Cleaning instructions:

download JEE-O shower and taps manual on our website: www.jee-o.com

Vernet mixing mechanism (thermostatic), item code 005-0501

Flow at water of 38°C. 12L p/m at 3Bar pressure

Recommended working pressure 3Bar Pressure:

Connection: 3 x G ½" (ø15mm / 0.6")


L 26 x W 18 x H 18 cm 2.17 kg 0.564 kg Dimension package:

Total weight: Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

JEE-O slimline thermostat specifications | September 2023

# JEE-0 JEE-O slimline valve



Article code:

800-2700 Brushed 800-2703

Stuctured black 800-2704

PVD coated bronze

800-2705 PVD coated matt gold

800-2709 PVD coated dark steel

10L p/m at 3bar pressure

Fluhs ceramic valve, item code 005-0602

Cleaning instructions:

Stainless Steel r304 download JEE-O shower and taps manual on our website: www.jee-o.com

Cartridge: Flow at water of 38°C.

Recommended working pressure 3Bar Pressure:

Connection: 2 x G ½" (ø15mm / 0.6")

L 26 x W 18 x H 18 cm 1.7 kg 0.448 kg Dimension package: Total weight: Package weight:

7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads

JEE-O slimline valve specifications | September 2023