Cone shower combination 04
ceiling shower combination, stainless steel, with ceiling shower, thermostat, diverter and hand shower

Cone douche combinatie 04
plafonddouche combinatie, rvs, met plafonddouche, thermostaat, omsteller en wand handdouche

900-6440 / 900-6446

installation



technical diagram



020-xxx-25xx

Cone ceiling mounted shower, stainless steel

Cone plafonddouche, rvs

900-6800 / 900-6806

installation



technical diagram



explosion diagram



YTxxx-22xx

www.jee-o.com

wall mounted hand shower set stainless steel
with integrated wall elbow

wand handdouche rvs met geïntegreerde houder

900-6910 / 900-6916

installation



technical diagram



explosion diagram



YTxxx-22xx

wall mounted bath/shower diverter stainless steel with concealed body

wand bad of douche omsteller rvs met inbouwdeel

900-2600 / 900-2606

installation





technical diagram



explosion diagram



YTxxx-22xx

wall mounted thermostatic mixer stainless steel with concealed body

wand inbouwthermostaat rvs

900-2500 / 900-2506

installation





technical diagram



explosion diagram



NOTE! *The rosette diameter is Ø110mm.*
Cut tiles within this diameter.

rosette diameter 110mm

tile cutting suggestion option 1 (concealed body)

tile cutting suggestion option 2

900-250X CONE THERMOSTAT

Wall mounted thermostatic mixer. Stainless steel with concealed body. All colour finishes.



Disclaimer:
Always follow applicable guidelines and regulations for installation. These notifications and suggestions do not replace any installation manual. Installation should be carried out by certified plumber.