SlimTec by JEE-O spout 90° long



Article code:	400-3810 Brushed 400-3814 PVD coated bronze 400-3819 PVD coated dark steel
Material:	Stainless Steel r304
Cleaning instructions:	download JEE-O shower and taps manual on our website: www.jee-o.com
Pressure:	Recommended working pressure 3Bar

Connection:	G ½" (ø15mm / 0.6")
Thread:	British Standard Pipe (BSP)
Dimension package:	L 28 x W 13 x H 4 cm
Total weight:	0.74 kg
Package weight:	0.06 kg

7 year warranty – The general conditions can be found on our website: www.jee-o.com/downloads

Models are subject to change and specs may contain typographical errors
Slight variations in the aesthetic appearance of the product, including the color, may occur after exposure to external influences such as sunlight, pollution or harmful chemicals

SlimTec by JEE-O diverter







Article code:	400-2600 Brushed 400-2604 PVD coated bronze 400-2609 PVD coated dark steel
Material:	Stainless Steel r304
Cleaning instructions:	download JEE-O shower and taps manual on our website: www.jee-o.com
Cartridge:	JEE-O diverter mechanism, item code 005-0312
Flow at water of 38°C:	12L p/m at 3Bar pressure
Pressure:	Recommended working pressure 3Bar

Connection:	3 x G ½" (0.6")
Thread:	British Standard Pipe (BSP)
Dimension package:	L 23.5 x W 10.5 x H 10.5 cm
Total weight:	1.32 kg
Package weight:	0.12 kg

7 year warranty – The general conditions can be found on our website: www.jee-o.com/downloads

Models are subject to change and specs may contain typographical errors
Slight variations in the aesthetic appearance of the product, including the color, may occur after exposure to external influences such as sunlight, pollution or harmful chemicals

SlimTec by JEE-O thermostat



increase temparature



decrease temparature

Article code:	400-2500 Brushed 400-2504 PVD coated bronze 400-2509 PVD coated dark steel
Material:	Stainless Steel r304
Cleaning instructions:	download JEE-O shower and taps manual on our website: www.jee-o.com
Cartridge:	JEE-O thermostatic mixing cartridge with checkvalves, item code 005-0511
Flow at water of 38°C:	13,5L p/m at 3Bar pressure
Pressure:	Recommended working pressure 3Bar

Connection:	3 x G ½" (ø15mm / 0.6")
Dimension package:	L 24 x W 10 x H 10 cm
Total weight:	1.54 kg
Package weight:	0.12 kg

7 year warranty – The general conditions can be found on our website: www.jee-o.com/downloads

HS code: 84818011

Approvals:

Models are subject to change and specs may contain typographical errors
Slight variations in the aesthetic appearance of the product, including the color, may occur after exposure to external influences such as sunlight, pollution or harmful chemicals

SlimTec by JEE-O wall hand shower



Article code:	400-6910 Brushed 400-6914 PVD coated bronze 400-6919 PVD coated dark steel
Material:	Stainless Steel r304
Cleaning instructions:	download JEE-O shower and taps manual on our website: www.jee-o.com
Flow at water of 38°C:	9l p/m at 3Bar pressure
Pressure:	Recommended working pressure 3Bar
Flexhose:	150 cm length

Connection:	G ½" (ø15mm / 0.6")
Thread:	British Standard Pipe (BSP)
Dimension package:	L 24 x W 17.5 x H 8 cm
Total weight:	1.12 kg
Package weight:	0.16 kg

7 year warranty – The general conditions can be found on our website: www.jee-o.com/downloads

HS code: 84818011900

Approvals: BELGAQUA

Models are subject to change and specs may contain typographical errors
Slight variations in the aesthetic appearance of the product, including the color, may occur after exposure to external influences such as sunlight, pollution or harmful chemicals